Micro PHOS® Fruit & Veg

Phosphorus Solubilising Bacteria

Reg. No. L 9399 Act No. 36 of 1947 / Reg. Nr. L 9399 Wet Nr. 36 van 1947

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN AND ANIMALS

LIQUID INOCULANT FOR PHOSPHATE SOLUBILISATION.

VLOEIBARE INOKULANT VIR OPLOSSING VAN FOSFAAT.

NOT CLASSIFIED AS HAZARDOUS IN TERMS OF GHS.

Active Ingredient / Aktiewe Bestanddeel:
Live *Pseudomonus fluorescens* bacteria
Minimum 1 x 10^9 cfu/ml

Net Volume:
1.5 L

MBFi
Leaders in Science. Partners in Growth.

Registered, Marketed and Distributed by / Geregistreer, Bemark en Versprei deur:
MBFi (PTY) LTD • Reg No.: 2015/165672/07 • No. 144 Avenue 2, Modder East Orchards, Delmas, 2210
Tel: +27 (0) 82 738 0080 • Email: orders@mbfi.co.za • Web: www.mbfi.co.za

ZAR 003

IN CASE OF POISONING, CALL THE FOLLOWING EMERGENCY NUMBER / IN GEVAL VAN VERGIFTIGING, SKAKEL DIE VOLGENDE NOODNOMMER 082 446 8946 / 0861 555 777

Bio-Shield®, Hydrolock®, MicroPhos®, Trillum® and Osmo Protection® are registered trademarks of MBFi (PTY) LTD /
Bio-Shield®, Hydrolock®, MicroPhos®, Trillum® en Osmo Protection® is geregistreerde handelsmerke van MBFi (EDMS) BPK.

WARNINGS:

• GHS Hazard Statement:

Pictogram and Signal word	Hazard Statement
Not Classified as Hazardous	Not Classified as Hazardous

Although this remedy has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label, as well as by the method, time and accuracy of the application. Furthermore, the registration holder, does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal, or for lack of performance of the remedy concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

• GHS Precautionary Statements:

P102	Keep out of reach of children.
P262	Do not get in eyes, on skin, or on clothing.
P305 P351 P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P410	Protect from sunlight.
P411	Store at temperatures not exceeding 25°C.

DIRECTIONS FOR USE:

• SHAKE BEFORE USING.

• Use only as indicated on this label.

DO NOT MIX WITH ANY FERTILIZERS OR CHEMICALS AS THE SALT CONCENTRATION WILL REDUCE THE BACTERIA COUNT AND THEREBY THE EFFICACY OF THE PRODUCT.

Crops	Dosage	Remarks
Established tree orchards: Avocado, Citrus, Litchi, Mango, Nut trees, Pome fruit, Stone fruit	Pour 300 ml of Bio-Shield® MP into a container, add 1.5 L of MicroPhos® Fruit & Veg and stir until homogenous mixture is obtained. This mixture will treat up to 1 ha of orchards.	Make mixture up in 5 L of water and apply through the irrigation system. Apply with min of 10-15 mm of water/ha. Apply up to 3 applications. Beginning of spring as the tree starts to become active. One month after full bloom (around 2 months later). Post-harvest (beginning of Autumn).
General vegetables: Butternut, Brassica, Cucumber, Cucurbit, Leafy vegetables, Pepper, Squash, Tomato	Pour 300 ml of Bio-Shield® MP into a container, add 1.5 L of MicroPhos® Fruit & Veg and stir until homogenous mixture is obtained. This mixture will treat up to 1 ha of vegetables.	Apply a min of 2 applications as a drench through drip irrigation system. 1st application at planting. 2nd application 21 days later after first treatment.
New establishment of trees: Avocado, Citrus, Litchi, Mango, Nut trees, Pome fruit, Stone fruit	Pour 300 ml of Bio-Shield® MP into a container, add 1.5 L of MicroPhos® Fruit & Veg and stir until homogenous mixture is obtained. This mixture will treat 1000 trees – rate/tree hole is 1.5 ml MicroPhos® Fruit & Veg and 0.3 ml of Bio-Shield® MP.	Apply up to 2 applications: 1st application at planting in the planting hole. Pour mixture over the roots of the plant. 2nd application 2-3 months later as a drench around the tree base if required.
Potato	Pour 300 ml of Bio-Shield® MP into a container, add 1.5 L of MicroPhos® Fruit & Veg and stir until homogenous mixture is obtained.	Apply infurrow at planting.

Bio-Shield® MP (65% (w/v) Mixture of polysaccharides and proteins) / Bio-Shield® MP and Hydrolock® are registered trademarks of MBFi (PTY) LTD.