

Tank Man

Tank Cleaning Agent

READ THE LABEL BEFORE USE
KEEP OUT OF REACH OF CHILDREN

LIQUID CLEANER OF TANKS AND EQUIPMENT.

'N VLOEIBARE REINIGER VIR TENKES EN TOERUSTING.

Danger



Hazard Statements:

- Harmful if swallowed.
- Causes severe skin burns and eye damage.
- May cause respiratory irritation.
- Very toxic to aquatic life.

Precautionary Statements:

- Do not breathe mist and spray.
- Wash thoroughly after handling.
- Avoid release to the environment.

Active Ingredient / Aktiewe Bestanddeel:

Solution of Ammonia..... 100% (w/v)Ammoniak Oplossing
S.G (at 20°C): 1.12

UN 2672

Registration Holder / Registrasiehouer: N Laboratories (PTY) LTD • Reg No.: 2015/165672/07
No. 144, 2nd Avenue, Modder East Orchards, Delmas, 2210 • Tel: +27 (0) 82 738 0080 • Fax: +27 (0) 86 547 6711
Marketed and Distributed by / Bemerk en Versprei deur: MBFi (PTY) LT • Reg No.: 2013/211882/07
P.O. Box 1137, Delmas, Mpumalanga, 2210 • Email: orders@mbfi.co.za • Web: www.mbfi.co.za

IN CASE OF POISONING, CALL THE FOLLOWING EMERGENCY NUMBER / IN GEVAL VAN VERGIFTIGING, SKAKEL DIE VOLGENDE NOODNOMMER 082 446 8946 / 0861 555777

Net Volume:
1 L

WARNINGS:

• GHS Hazard Statements:

Pictograms and Signal word	Hazard Statements	
Danger   	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.
	H335	May cause respiratory irritation.
	H400	Very toxic to aquatic life.

• Relevant Substance:

Name	CAS No.	Weight (%)
Ammonium hydroxide solution	1336-21-6	25

Although this adjuvant has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions. The active ingredient may be affected by factors such as storage conditions, quality of dilution water and compatibility with other substances not indicated on the label, as well as by the method, time and accuracy of the application. Furthermore, the registration holder does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal, or lack of performance of the adjuvant concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:

• GHS Precautionary Statements:

P261	Avoid breathing mist/spray/vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P303 P361 P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 P340 P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 P351 P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- Wash hands and face before eating, drinking, smoking or using the toilet.
- Avoid spray drift onto adjacent crops, grazing, rivers and dams.
- Clean applicators before using for other remedies and ensure disposal of wash water does not contaminate crops, grazing, rivers, dams and water sources.
- Prevent contamination of food, feedstuffs, drinking water and eating utensils by handling, storage or disposal.
- Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter, rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.

Tank Man is a product formulated to inactivate and remove deposits and residues that adhere to tanks and equipment of industrial applicators that utilize chemical products.

DIRECTIONS FOR USE:

- SHAKE BEFORE USING.
- Use only as indicated on this label.
- Once tank is empty, fill 10-20% of the tanks volume with clean water and start agitation.
- Add 250 ml Tank Man/100 L of water and continue to agitate.
- Move the water tank forward and backwards until the water has washed the inside of the tank.
- Ensure all the pipes, nozzels and filters are cleaned and rinsed thoroughly.
- Empty the tank and rinse it at least twice with clean water.
- If necessary repeat the treatment.