

Turbo-Seed®

Performance Nutrition

Reg. No. B 5446 Act No. 36 of 1947 / Reg. Nr. B 5446 Wet Nr. 36 van 1947

READ THE LABEL BEFORE USE



KEEP OUT OF REACH OF CHILDREN AND ANIMALS

Group/Groep

2

Fertilizer/Kunsmis

A LIQUID PHOSPHORUS FERTILIZER WITH MICROELEMENTS, ZINC, MOLYBDENUM AND MANGANESE FOR SEED TREATMENTS.

Danger  	Hazard Statements: <ul style="list-style-type: none">• May be corrosive to metals.• Causes severe skin burns and eye damage.• Causes damage to organs through prolonged or repeated exposure.
	Precautionary Statements: <ul style="list-style-type: none">• Keep only in original container.• Do not breathe the mist/spray.• Wash hands thoroughly after handling.

Active Ingredient:

Phosphorus (P)	86.5 g/kg	124.6 g/L	Molybdenum (Mo)	27.9 g/kg	40.2 g/L
Zinc (Zn)	51.9 g/kg	74.7 g/L	Sulfur (S)	8.1 g/kg	11.7 g/L
Manganese (Mn)	14.0 g/kg	20.1 g/L			

S.G (at 20°C): 1.44

UN 1760

Registration Holder / Registrasiehouer: N Laboratories (PTY) LTD

Reg No.: 2015/165672/07 • No. 144, 2nd Avenue, Modder East Orchards, Delmas, 2210

Tel: +27 (0) 82 738 0080 • Fax: +27 (0) 86 547 6711

Marketed and Distributed by / Bemark en Versprei deur: MBFi (PTY) LTD

Reg No.: 2013/211882/07 • P.O. Box 1137, Delmas, Mpumalanga, 2210

Email: orders@mbfi.co.za • Web: www.mbfi.co.za



Turbo-Seed Performance Nutrition® is a registered trademark of N Laboratories (PTY) LTD /

Turbo-Seed Performance Nutrition® is 'n geregistreerde handelsmerk van N Laboratories (EDMS) BPK.

Net Volume:

1 L

WARNINGS:• **GHS Hazard Statements:**

Pictograms and Signal word	Hazard Statements	
Danger  	H290	May be corrosive to metals.
	H314	Causes severe skin burns and eye damage.
	H372	Causes damage to organs through prolonged or repeated exposure.

• **Relevant Substance:**

Name	CAS No.	Weight (%)
Manganese sulphate	10034-96-5	4.38
Phosphoric acid	7664-38-2	22.89

Although this fertilizer has been extensively tested under a large variety of conditions, the registration holder does not warrant that it will be efficacious under all conditions because the action and effect thereof may be affected by factors such as abnormal climatic and storage conditions, quality of dilution water, compatibility with other substances not indicated on the label as well as by the method, time and accuracy of the application. Furthermore, the registration holder does not accept responsibility for damage to crops, vegetation, the environment, or harm to man or animal, or lack of performance of the fertilizer concerned, due to failure of the user to follow the label instructions or to the occurrence of conditions which could not have been foreseen in terms of the registration. Consult the supplier in the event of any uncertainty.

PRECAUTIONS:• **GHS Precautionary Statements:**

P234	Keep only in original container.
P260	Do not breathe the mist/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P301 P330 P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 P361 P353	IF ON SKIN (or hair): Take off all contaminated clothing immediately. Rinse skin with water [or shower].
P305 P351 P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.

- Clean applicator and mixing containers thoroughly after use and dispose of wash water where it will not contaminate crops, grazing, rivers, dams and boreholes.
- Triple rinse the empty container: Invert the empty container over the spray or mixing tank and drain for at least 30 seconds after the flow has slowed down to dripping. Thereafter, rinse the empty container three times in succession with one quarter of the container volume fresh water and decant the rinsate into the spray or mixing tank. Puncture the triple rinsed container and dispose of via an approved collector or recycler (www.croplife.co.za). Do not bury, burn or donate the container to any other parties that may use it as a container for food or beverages.
- Do not re-use container for any other purpose.
- Prevent contamination of food, feed, drinking water and eating utensils.

DIRECTIONS FOR USE:

- SHAKE BEFORE USING.
- Use only as indicated on this label.
- Use exclusively as fertilizer.

Seed Treatment: Apply Turbo-Seed Liquid to the seed using conventional seed treatment machines, rotating drums or other mixers. Ensure uniform coverage of the seed. Dilute 1:1 ratio with water if applied alone to the seed, otherwise do not add water to the treatment of Turbo-Seed Liquid.

Storage: Turbo-Seed Liquid should be stored out of direct sunlight and in a dry, cool area under frost-free conditions. Keep the product locked up and out of reach of children and animals. Avoid contamination of foodstuff or water sources.

Crop	Dosage/100 kg of seed	Remarks
Barley, Wheat	250-500 ml	Ensure uniform coverage of the seed.
Canola	500 ml	
Dry Bean	250 ml	
Maize	250-500 ml	
Onion	1 L	
Soybean	250 ml	
Sunflower	500 ml	Apply infurrow at planting.
Potato	1-2 L/ha	